


12820-80 PN6

尺寸	外径	中心距	台径	内径	边厚	台高	孔数	孔径	单重
DN10	75	50	35	15	10	2	4	11	0.31
DN15	80	55	40	19	10	2	4	11	0.33
DN20	90	65	50	26	12	2	4	11	0.53
DN25	100	75	60	33	12	2	4	11	0.64
DN32	120	90	70	39	13	2	4	14	1.01
DN40	130	100	80	46	13	3	4	14	1.21
DN50	140	110	90	59	13	3	4	14	1.33
DN65	160	130	110	78	13	3	4	14	1.63
DN80	185	150	128	91	15	3	4	18	2.44
DN100	205	170	148	110	15	3	4	18	2.85
DN125	235	200	178	135	17	3	8	18	3.88
DN150	260	225	202	161	17	3	8	18	4.39
DN200	315	280	258	222	19	3	8	18	5.89
DN250	370	335	312	273	20	3	12	18	7.67
DN300	435	395	365	325	20	4	12	22	10.28
DN350	485	445	415	377	22	4	12	22	12.58
DN400	535	495	465	426	24	4	16	22	15.2
DN450	590	550	520	480	24	4	16	22	17.25
DN500	640	600	570	530	25	4	16	22	19.72
DN600	755	705	670	630	25	5	20	26	26.24
DN700	860	810	775	720	27	5	24	26	36.68
DN800	975	920	880	820	27	5	24	30	46.14
DN900	1075	1020	980	920	29	5	24	30	55.1
DN1000	1175	1120	1080	1020	31	5	28	30	64.36
DN1200	1400	1340	1295	1222	34	5	32	33	99.03



12820-80 PN10										
尺寸	D外径	D1中心距	D2台径	d1内径	b壁厚	台高	孔数	d孔径	单重	
1	DN10	90	60	42	15	10	2	4	14	0.46
2	DN15	95	65	47	19	10	2	4	14	0.51
3	DN20	105	75	58	26	12	2	4	14	0.74
4	DN25	115	85	68	33	12	2	4	14	0.89
5	DN32	135	100	78	39	14	2	4	18	1.4
6	DN40	145	110	88	46	15	3	4	18	1.71
7	DN50	160	125	102	59	15	3	4	18	2.06
8	DN65	180	145	122	78	17	3	4	18	2.8
9	DN80	195	160	133	91	17	3	4	18	3.19
10	DN100	215	180	158	110	19	3	8	18	3.96
11	DN125	245	210	184	135	21	3	8	18	5.4
12	DN150	280	240	212	161	21	3	8	22	6.62
13	DN200	335	295	268	222	21	3	8	22	8.05
14	DN250	390	350	320	273	23	3	12	22	10.65
15	DN300	440	400	370	325	24	4	12	22	12.9
16	DN350	500	460	430	377	24	4	16	22	15.85
17	DN400	565	515	482	426	36	4	16	26	21.56
18	DN450	615	565	532	480	26	4	20	26	22.76
19	DN500	670	620	585	530	38	4	20	26	22.7
20	DN600	780	725	685	630	31	5	20	30	39.4
21	DN700	895	840	800	720	34	5	24	30	59.46
22	DN800	1010	950	905	820	37	5	24	33	79.16
23	DN900	1110	1050	1005	920	40	5	28	33	94.13
24	DN1000	1220	1160	1110	1020	43	5	28	33	118.43
25	DN1200	1455	1380	1330	1222	51	5	32	39	197.44

12820-80 PN16

	尺寸	D外径	D1中心距	D2台径	d1内径	b边厚	台高	孔数	d孔径	单重
1	DN10	90	60	42	15	12	2	4	14	0.54
	DN15	95	65	47	19	12	2	4	14	0.61
2	DN20	105	75	58	26	14	2	4	14	0.86
3	DN25	115	85	68	33	16	2	4	14	1.17
4	DN32	135	100	78	39	16	2	4	18	1.58
5	DN40	145	110	88	46	17	3	4	18	1.96
6	DN50	160	125	102	59	19	3	4	18	2.58
7	DN65	180	145	122	78	21	3	4	18	3.42
8	DN80	195	160	133	91	21	3	4	18	3.71
9	DN100	215	180	158	110	23	3	8	18	4.73
10	DN125	245	210	184	135	25	3	8	18	6.38
11	DN150	280	240	212	161	26	3	8	22	7.81
12	DN200	335	295	268	222	27	3	8	22	10.1
13	DN250	405	355	320	273	28	3	12	26	14.49
14	DN300	460	410	370	325	28	4	12	26	17.78
15	DN350	520	470	430	377	30	4	16	26	22.88
16	DN400	580	525	482	426	34	4	16	30	31
17	DN450	640	585	532	480	38	4	20	30	39.64
	DN500	710	650	585	530	44	4	20	33	57.01
	DN600	840	770	685	630	45	5	20	39	80.03
	DN700	910	840	800	720	47	5	24	39	84.21
	DN800	1020	950	905	820	49	5	24	39	104.41
	DN900	1120	1050	1005	920	54	5	28	39	128.6
	DN1000	1255	1170	1110	1020	58	5	28	45	179.37
	DN1200	1485	1390	1330	1220	71	5	32	52	297.78

12820-80 pn25

	尺寸	外径	中心距	台径	内径	边厚	台高	孔数	孔径	单重
	DN10	90	60	42	15	14	2	4	14	0.63
	DN15	95	65	47	19	14	2	4	14	0.7
	DN20	105	75	58	26	16	2	4	14	0.98
	DN25	115	85	68	33	16	2	4	14	1.17
	DN32	135	100	78	39	18	2	4	18	1.77
	DN40	145	110	88	46	19	3	4	18	2.18
	DN50	160	125	102	59	21	3	4	18	2.71
	DN65	180	145	122	78	21	3	8	18	3.22
	DN80	195	160	133	91	23	3	8	18	4.06
	DN100	230	190	158	110	25	3	8	22	5.92
	DN125	270	220	184	135	27	3	8	26	8.26
	DN150	300	250	212	161	27	3	8	26	10.12
	DN200	360	310	278	222	29	3	12	26	13.34
	DN250	425	370	335	273	31	3	12	30	18.9
	DN300	485	430	390	325	32	4	16	30	23.95
	DN350	550	490	450	377	38	4	16	33	34.35
	DN400	610	550	505	426	40	4	16	33	44.62
	DN450	660	600	555	480	44	4	20	33	51.8
	DN500	730	660	615	530	48	4	20	39	67.3
	DN600	840	770	720	630	49	5	20	39	90.87
	DN700	960	875	820	720	55	5	24	45	126.82
	DN800	1075	990	930	820	63	5	24	45	181.43